

ATF

AUTOMATIC TRANSMISSION
OIL EXCHANGERS

SPIN[®]



**ATF
X-DRIVE**

Cod. 02.023.66



**ATF
S-DRIVE 5000 SW**

Cod. 02.023.53



**ATF
S-DRIVE 4500 SW**

Cod. 02.023.90



**ATF
START SW**



Cod. 02.023.60



**ATF
REMIN SW**

Cod. 02.023.57




					
	X-DRIVE cod. 02.023.66	S-DRIVE 4500 SW cod. 02.023.90	S-DRIVE 5000 SW cod. 02.023.53	ATF START SW cod. 02.023.60	ATF RÈMIN SW cod. 02.023.57
TECHNICAL FEATURES					
Color touch display 5"	Tablet 10" 4G Wi-Fi	✓ 5"	✓ 5"	-	-
Monochromatic graphic display 240x64	-	-	-	✓	-
Software with icons easy to use	✓	✓	✓	✓	-
Multilingual software	✓	✓	✓	✓	-
Pump	1	1	2	1	1
Oil Measurement: 2 electronic scales	✓	✓	✓	✓	visual
Gearbox's outlet oil pressure measurement	✓	✓	✓	✓	✓
ATF's outlet oil pressure measurement	✓	-	✓	-	-
AWS function: Automatic new oil specific weight correction	✓	✓	✓	manual	-
Automatic Warm-Up function (starting of the automatic cycle upon reaching the min. optimal temperature)	✓	✓	✓	-	-
Washing of the new oil suction circuit	✓	✓	✓	-	-
Measurement of the waste oil temperature	✓	✓	✓	✓	-
Dipstick kit	-	-	✓	-	optional
Automatic additive injection	✓	✓	✓	guided manual	guided manual
Possibility to operate in automatic or manual mode	✓	✓	✓	semi-automatic	manual
Input flow reduction regulator (built-in)	✓	-	-	-	-
Integrated diagnosis with messages and related guide for the service	✓	-	-	-	-
Dual 12V DC and 220V AC power supply with low battery alarm and automatic power source recognition	✓	-	-	-	-
Software and database updatable via USB	WiFi	✓	✓	-	-
Flowmeters (old/new)	✓ backlight	✓ backlight	✓ backlight	transparent hoses, 3 mt	✓
New and waste oil tanks	2 x 20lt	2 x 20lt	2 x 30lt	2 x 20lt	2x20lt
New sintered reusable filter with magnet	✓ 2 filters	✓ 2 filters	✓ 2 filters	✓ 2 filters	✓ 2 filters
2 cases of couplings and hoses for European and Asiatic vehicles	✓	✓	✓	✓	v
Printer	✓	Optional	✓	Optional	-
Kit SmartPack (subscription for 12 months)	✓	✓	✓	✓	✓
Software for power steering oil change	-	✓	✓	-	-
Integrated database with brand, version, number of ratios, gearbox type, oil quantity, oil code; the connection to be used and the oil type/brand can be inserted manually by the operator	✓	✓	✓	-	-
Oil flow hose inversion	Automatic (internal)	Built-In	Built-In	Built-In	Built-In
Dimensions, mm	620x520x1210	360x440x1120	610x440x1120	620x510x1000	470x420x1020
Weight	75 kg	45 kg	45 kg	55 kg	50 kg



ACCESSORI ATF STANDARD

STANDARD COUPLINGS, INCLUDED IN THE FOLLOWING MODELS:

ATF XDRIVE • ATF 5000 • ATF 4500 • ATF START • ATF REMIN



Cod. 02.022.52/new VOLVO V50	Cod. 02.022.33/new JAP/MB/LANCIA	Cod. 02.022.30/new JAP/BMW	Cod. 02.022.31/new JAP/GM	Cod. 02.022.32/new JAP/GM	Cod. 02.022.29/new JAP/ALFA ROMEO	Cod. 02.022.34/new JAP/VOLVO	
Cod. 02.022.21/new DSG	Cod. 02.022.11/new AISIN	Cod. 02.022.79/new JAP/MB/HUMMER/JEEP	Cod. 02.022.84/new JAP/M14X1,5	Cod. 02.022.37/new JAP/CITROEN/LANCIA	Cod. 02.022.81/new JAP/1/8G	Cod. 02.022.44/new BMW/MERCEDES 2001	Cod. 02.022.80/new JAP/RUBBER HOSE FITTING/ PORTAGOMMA
Cod. 02.022.59/new BMW 8 MARCE/8 GEARS	Cod. 02.022.98/new BMW 8 HP ZF	Cod. 02.022.07/.78/.45/ new BMW 2010	Cod. 02.022.09/new BMW 3 SERIES	Cod. 02.022.18/new OPEL INSIGNA	Cod. 02.022.63/new VW TIGUAN/PORSCHE 911	Cod. 02.022.13/new AUDI Q5/Q7	Cod. 02.022.99/new FIAT 500 X ZF
Cod. 02.022.85/new DIPSTICK	Cod. 05.090.82 MERCEDAS BENZ 9G - TRONIC	Hoses for general applications		Hoses for general applications			
		Cod. 02.022.25/new (ø 8) x 2	Cod. 02.022.26/new (ø 10)	Cod. 02.022.27/new (ø 12)	Cod. 02.022.28/new (ø 14)		

OPTIONAL ACCESSORIES



Cod. 02.000.62/NEW
Kit for **USA/Japan vehicles**
(Ford, Cadillac, Toyota, Nissan,
Chrysler Jeep, GM, Dodge, Honda,
Chevrolet, Chevy Duramax)



Cod. 02.022.66/NEW
Oil level refiller



Cod. 02.022.04
Kit 2 oil level dipstick
Mercedes A-Class & C-Class



Cod. 05.088.21
Service trolley for ATF accessories




Cod. 05.090.82
Tool for draining and top up of oil in
automatic gearboxes of **Mercedes
Benz 9G - Tronic**

The pictures have merely explanatory purposes and can be changed with no warning

SmartPack Atf

ONLINE DATA BASE






Cod. 02.022.110

Online DATA BASE with technical information on automatic transmissions (diagrams, photos, location of fittings, etc.)

NOTE:

SMART PACK is provided free of charge with the purchase of an ATF SPIN and is valid for 12 months from the first activation. The renewal of the paid service is reserved for customers who have purchased an ATF SPIN.



SPIN®

ATF
X-DRIVE
CONNECTION**ATF X-Drive****Cod. 02.023.66****Oil Exchanger for Automatic Transmissions with the removable 10" Tablet for the remote control of functions (Bluetooth)**

- 10" 4G Wi-Fi Tablet
- Direct consultation of the database online (by 4G or Wi-Fi)
- Remote control of functions and monitoring of ongoing operations via the ATF's removable tablet
- Guided information for the user
- Integrated database
- Automatic oil flow recognition and inversion (electronically)
- Input flow reduction regulator (built-in)
- Integrated diagnosis with messages and related guide for the service
- Improved procedure for replacing new oil tank (other tanks on request)
- Guided functions for manual procedure
- Funzioni guidate for radiator washing procedure and filter replacement
- Specific procedure for DSG
- Dual 12V DC and 220V AC power supply with low battery alarm and automatic power source recognition
- Printer included
- Direct access to waste oil for pan emptying
- Kit of fittings and hoses for European and Asian cars



MADE IN ITALY

10"
Tablet



Home Page




Automatic cycle



Manual cycle




Washing



Recycling



Utility



Data Base



Online Data Base

SPIN[®]

**Atf
S-DRIVE**

5000



Oil Exchanger for Automatic Transmissions

- **A:** 5" color touch display
- **A:** Gearbox outlet oil pressure measurement
- **A:** ATF's outlet oil pressure measurement
- **B:** Multilingual software
- **C:** AWS function: Automatic new oil Weight Set
- **D:** Automatic warm-up function (start of the automatic cycle when the optimal minimum temperature is reached)
- **Integrated oil flow inversion system**
- **E:** Washing of the new oil suction circuit
- **F:** Dipstick kit
- **G:** Automatic additive injection
- **H:** Possibility to operate in automatic or manual mode
- **I:** Software and database updatable via USB
- **J:** Flowmeters with backlight (old/new)
- **K:** New and waste oil tanks
- **L:** 2 new sintered reusable filters with magnet
- **M:** Kit of couplings and hoses for European and Asiatic vehicles included
- **N:** Printer
- **O:** **SmartPack** (12 months of free access to the online Database)
- **P:** Software for power steering oil change
- **Q:** Integrated database with brand, version, number of ratios, gearbox type, oil quantity, oil code
- WiFi module for data transmission / reception - kit 01.000.328 on request*

SPIN CONNECT 4.0

Built-in WiFi module + SD Card
Cod. 01.000.328*









*to be ordered at the same time as the ATF station

ATF S-Drive 5000 SW
Cod. 02.023.53



MADE IN ITALY

S-DRIVE 5000 SW



Atf SDRIVE

4500

Oil Exchanger for Automatic Transmissions

- **A:** Color touch display 5"
- **A:** Gearbox outlet oil pressure measurement
- **B:** Multilingual software
- **C:** AWS function: Automatic new oil Weight Set
- **D:** Automatic warm-up function (start of the automatic cycle when the optimal minimum temperature is reached)
- **Integrated oil flow inversion system**
- **E:** Washing of the new oil suction circuit
- **F:** 2 new sintered reusable filters with magnet
- **G:** Automatic additive injection
- **H:** Possibility to operate in automatic or manual mode
- **I:** Software and database updatable via USB
- **J:** Flowmeters with backlight (old/new)
- **K:** New and waste oil tanks
- **L:** Kit of couplings and hoses for European and Asiatic vehicles included
- **M:** **SmartPack** (12 months of free access to the online Database)
- **N:** Software for power steering oil change
- **O:** Integrated database with brand, version, number of ratios, gearbox type, oil quantity, oil code
- WiFi module for data transmission / reception - kit 01.000.328 on request*

SPIN CONNECT 4.0

Built-in WiFi module + SD Card
Cod. 01.000.328*



*to be ordered at the same time as the ATF station






ATF S-Drive 4500 SW
Cod. 02.023.90



MADE IN ITALY

S-DRIVE 4500 SW



SPIN®

Atf
START

Semi-automatic Oil Exchanger for Automatic Transmissions

- **A:** Graphic display 240x64
- **A:** Control keyboard with only 4 buttons
- **A:** User-friendly software with icons
- Intuitive software that adapts to different operation mode of the workshop
- **B:** Multilingual software (22 languages)
- **A:** Measurement of the return pressure
- **C:** Selection of the oil specific weight (kg/lt)
- 2 electronic scales
- 1 pump, 220V50Hz (110V60Hz on request)
- Measurement of the oil temperature
- **D:** Possibility to operate in manual or full automatic mode
- **E:** Protection against overpressure with "automatic recirculation" at the beginning or end of charge
- **F:** Automatic length compensation of the hoses
- **G:** Possibility to update the software
- **H:** Manual additive injection
- **I: Automatic hose inversion**
- **J:** Transparent hoses for the oil flow control
- **K:** Case of couplings and hoses for European and Asiatic vehicles
- **L:** Removable new/old oil tanks, capacity 20lt
- **M:** 2 sintered magnetic filters (reusable)
- **N:** Optional printer
- **O: SmartPack** (12 months of free access to the online Database)

ATF START SW

Cod. 02.023.60




MADE IN ITALY

ATF START SW



A




K



B



G



L



C



H



M



D



I



N



E



J



O



E



F

Atf RÈMIN

manual

Manual Oil Exchanger for Automatic Transmissions

- **A:** Control panel with used oil pressure gauge, taps/phase switches and flowmeters
- **B:** Kit of couplings and hoses for European and Asiatic vehicles (standard included)
- **C:** **SmartPack** (12 months of free access to the online Database)
- **D:** 500ml additive injector with protection against operational errors
- **E:** **Automatic hose inversion**
- **F:** 20 liter removable oil containers for new/used oil
- **G:** 2 sintered magnetic filters (reusable)
- **H:** Magnetic litre-counters: Useful for visual control of the levels (used oil, new oil)
- **I:** Facilitated use of the appliance





MADE IN ITALY

ATF RÈMIN SW
Cod. 02.023.57

ATF RÈMIN SPIN USER'S GUIDE					
				ATF PUMP	CAR ENGINE
VERIFY THE PRESSURE PRESENCE ON THE GAUGE				OFF	ON
ADDITIVE INJECTION				ON	OFF
CLEANING				OFF	ON
EMPTY THE OIL PAN				OFF	ON
REMOVE THE OIL PAN				OFF	OFF
RADIATOR CLEANING				ON	OFF
FILTER CHANGE & OIL PAN REMOUNT				OFF	OFF
FILL THE PAN WITH NEW OIL				ON	OFF
OIL CHANGE IN THE TORQUE CONVERTER ADJUST SLOWLY THE TAP				ON	ON
RESTORE THE CONNECTION				OFF	OFF
OIL LEVEL CONTROL A				ON	OFF
USED OIL DISCHARGE A				ON	OFF

ATF RÈMIN SW



C

Technical data for FORD - GALAXY - 2.0 DURATORQ TDCi (CA1)


Starting year: 2010 Ending year: 2016	Oil: WSS-M2C936-A Oil Quantity (L): 5.00	Oil Type: SAE 5W-30 API: SAE SPC DCT: DCT	Oil Filter: 4000000000 Oil Filter Reference: 4000000000
--	---	---	--

WSS-M2C936-A

Filters: TMSR-80001-A0

Adapters: 02.002.81 NEW OPTIONAL

SmartPack



Models available for Brand FORD

Model	Year	Start year	End year	KW
FORD - GALAXY	2010	2010	2016	100
GALAXY - 2.0 DURATORQ TDCi (CA1)	2010	2010	2016	100
GALAXY - 2.0 DURATORQ TDCi (CA1)	2010	2010	2016	100
GALAXY - 2.0 DURATORQ TDCi (CA1)	2010	2010	2016	100
GALAXY - 2.0 DURATORQ TDCi (CA1)	2010	2010	2016	100





























Cannot find the model? Contact us

Go back to: Brands list



OPTIONAL ADAPTERS






























NOTE: FOR ATF PURCHASED BEFORE OCTOBER 2019 ASK FOR ADAPTERS WITHOUT "/NEW" (PART NR.)

02.022.21/new		DSG		02.022.93/new		Audi 4/6 Avant >2012, gearbox 4G5 on exchanger	
02.022.11/new		AISIN (Fiat Croma, Lancia Thesis, Renault Espace, Citroen C5/ C3)		02.022.94/new		Mercedes Benz, gearbox 722.9	
02.022.52/new		Volvo V50		02.022.95/new		TF80 MULTI (Volvo, Alfa Romeo, Cadillac, Ford, Land Rover)	
02.022.59/new		BMW 8 gears		02.022.97/new		Mercedes Classe A/B, gearbox DCT	
02.022.98/new		BMW 8 marce ZF		02.022.100		Water/fluid exchanger on Toyota Avensis K311, to be used with rubber hose Ø8	
02.022.99/new		FIAT 500X, ZF gearbox		02.022.101		Water/fluid exchanger on Toyota Corolla, to be used with rubber hose Ø8	
02.022.61/new		Powershift (Volvo - Ford Focus)		02.022.102		Water/fluid exchanger on Mazda CX-5 (6 AT) to be used with rubber hose Ø8	
02.022.62/new		Mercedes CLK		02.022.104		Water/fluid exchanger on Nissan CVT (JF011E/ REOF10A)	
02.022.65/new		BMW 330D 180Hp		02.022.105		Water/fluid exchanger on Nissan 6CVT	
02.022.72/new		Jatco for Nissan/Renault/Jeep/ Mitsubishi		02.022.107/new		Maserati	
02.022.73/new		Renault-Nissan <2003, DPO gearboxes		02.022.108		Citroen C4/C5 PICASSO	
02.022.74/new		Audi A8		02.022.109/new		Renault Espace Application: REOF06A	
02.022.86/new		Volvo XC90		02.022.116		LAND ROVER Application: 7F09HP	
02.022.88/new		Porsche Cayenne / VW Touareg / Audi Q8		02.022.117		PEUGEOT 3008	

★ Included as standard accessories with the purchase of any ATF model

OPTIONAL ADAPTERS

NOTE: FOR ATF PURCHASED BEFORE OCTOBER 2019 ASK FOR ADAPTERS WITHOUT "/NEW" (PART NR.)

02.022.120		BMW/Mini/Volvo Application: AWF8F45 (TG-81LS)		02.022.147/new		PSA	
02.022.121/new		Audi SQ5 2013		02.022.148/new		Volvo 2	
02.022.122/new		Range Rover 4.2		02.022.149/new		BMW/Mini/Suzuki Aisin	
02.022.124/new		Volvo V70		02.022.150/new		BMW MINI mini 2.0L Diesel F56 GA8G45AW	
02.022.126/new		Ford Range 3.2/Mazda B-Series		02.022.151/new		PSA AMN8 Citroën, DS, Opel, Peugeot 2017	
02.022.131		Škoda		02.022.152/new		PSA ATN8 Citroën, DS, Opel, Peugeot 2017	
02.022.132		VW Polo		02.022.153/new		VOLVO TF71	
02.022.140/new		Toyota		02.022.154/new		AISIN AM6 III 6 marce	
02.022.141/new		Alfa Romeo		02.022.155/new		BMW SERIE 5 2998 4WD	
02.022.142/new		Toyota Lexus		02.022.157/new		ATF VAG	
02.022.143/new		Toyota Lexus 2		02.022.158/new		BMW / LAND ROVER / JAGUAR	
02.022.144/new		Volvo		02.022.159/new		AVAG 0AW 0BK	
02.022.145/new		VAG, Nissan, Suzuki		02.022.160/new		BMW / MERCEDES / JAGUAR	
02.022.146/new		Nissan, Citroen, Peugeot, Lancia, Alfa		02.022.161/new		BMW / JAGUAR / LAND ROVER	
				02.022.162/new		IVECO DAILY	