

BREEZE X4

DUAL TOUCH



Automatic A/C station for R134a and HF01234yf gas

Breeze X4 Dual Touch

Cod. 01.001.44

Touch Screen	7"
Tank capacity	2 x 10,5 kg
Vacuum pump	100 lt/min
Compressor capacity	2 x 400 gr/min
Injection oil/additive by standard/hybrid vehicles with scale	2 x 3





- Easy HMI (Human-Machine Interface) facilitated by a 7" touch screen and an icon-view software (A)
- No internal contamination between the gases: two separate circuits with 4 hoses, 2 for R134 and 2 for 1234yf; 2 evaporators, 2 compressors, 2 condensers, 2 filters, 2 tanks
- Separate circuits for the treatment of different oils: 3 channels for R134a with scale + 3 channels for HF01234yf with scale (standard, used, hybrid)
- Automatic circuit washing at every oil change
- Easy charge in all temperature conditions thanks to the BST system (by SPIN)
- WSC (Winter-Summer-Compensation) function. Possibility to correct the amount of gas loaded by scrolling the +/- keys and using the HP/LP pressure control (B)
- Integrated database upgradeable from USB port
- Maximum efficiency during recovery thanks to the standard "MULTIPASS" function (C)
- Flushing cleaning of the A/C system (kit 01.000.96 on request)
- Recycling cleaning of the A/C system, AUDI/VW type (kit 01.000.139 on request)
- Leakage test with nitrogen/hydrogen (kit 01.000.326 on request)
- Optional R1234yf refrigerant analyzer compliant with SAE/VDA norms (kit cod. 01.000.263)
- Printer included
- Scale lock

SPIN CONNECT 4.0

Built-in WiFi module + SD Card
Cod. 01.000.328*



*to be ordered at the same time as the A/C station



BETTER PERFORMANCE IN RECOVERY AND CHARGE

BST SYSTEM

R 134a



HFO 1234yf



SPIN[®]

**BREEZE
ADVANCE**
DUAL



Tank capacity	2 x 10,5 kg
Vacuum pump	100 lt/min
Compressor capacity	400 gr/min
Injection oil/additive by hybrid vehicles	3+1
4 quick couplings	2 x R134a / 2 x R1234yf
Printer	standard included

- **A:** 4.3" graphic display with icons
- Double tank (2x10,5 kg) with 2 electronic scales
- Facilitated charge in each temperature condition with **BST system** (by SPIN)
- **B:** Built-in database (cars, trucks, agricultural machines) with possibility to upgrade
- **D:** Hose length adjustment
- **E:** Printer included
- Automatic washing of the station's system at each gas change (time adjustable by the use)
- Automatic leak test on power up
- **F:** Flushing cleaning of the A/C system (kit 01.000.96 on request)
- **G:** Recycling cleaning of the A/C system, AUDI/VW type (kit 01.000.139 on request)
- **H:** Leakage test with nitrogen/hydrogen (kit 01.000.326 on request)
- **I:** User management
- **L:** Optional R134a / R1234yf dual refrigerant analyzer compliant with SAE / VDA norms (cod. 01.000.263)
- **M:** Standard and Hybrid oil management with automatic cleaning of the hoses
- **N:** Multilingual software
- **O:** Data download from USB port
- Scale lock
- WiFi module for data transmission / reception - kit 01.000.328 on request*

Please see the page 2 for more technical features

SPIN CONNECT 4.0

Built-in WiFi module + SD Card
Cod. 01.000.328*






*to be ordered at the same time as the A/C station

Automatic A/C station for R134a and HF01234yf gas
Breeze Advance DUAL Printer
Cod. 01.001.43



MADE IN ITALY



OPTIONAL ACCESSORIES



COD. 01.000.96



COD. 01.000.139



COD. 01.000.326



COD. 01.000.263

SPIN[®]

BREEZE ADVANCE



MADE IN ITALY


Display	graphic
Tank capacity	22 kg (30 kg - for the BUS model) with automatic heater
Vacuum pump	170 lt/min
Compressor capacity	400 gr/min (600 gr/min - modello BUS)
Injection oil/additive by hybrid/standard vehicles	with scale (3 injectors)
Printer (cod. 01.030.08CH)	optional (mod. PLUS / BUS) standard (mod. EVO)

- **A:** 4.3" graphic display with icons
- **B:** Built-in database (cars, trucks, agricultural machines) with possibility to upgrade
- Facilitated charge in each temperature condition with **BST system** (mod. PLUS / EVO)
- **C:** Pressure test with charge adjustment (manual WSC) mod. EVO
- **D:** Hose length adjustment
- **E:** Printer included (mod. EVO)
- **F:** Flushing cleaning of the A/C system (kit 01.000.96 on request)
- **G:** Recycling cleaning of the A/C system, AUDI/VW type (kit 01.000.139 on request)
- **H:** Leakage test with nitrogen/hydrogen (kit 01.000.326 on request)
- **I:** User management
- **L:** Automatic Multipass (mod. EVO)
- **M:** Standard and Hybrid oil management with automatic cleaning of the hoses
- **N:** Multilingual software
- **O:** Integrated USB for data download
- Optional R1234yf refrigerant analyzer compliant with SAE / VDA norms (cod. 01.000.216)
- Scale lock
- Optional WiFi module for data transmission / reception - kit 01.000.328* (mod. PLUS / EVO)

BREEZE Advance PLUS
R134a Cod. 01.001.30
HF01234yf Cod. 01.001.36

BREEZE Advance EVO Printer
R134a Cod. 01.001.32
HF01234yf Cod. 01.001.35

BREEZE Advance BUS
Cod. 01.001.33



Please see the page 2 for more technical features

SPIN CONNECT 4.0

Built-in WiFi module + SD Card
Cod. 01.000.328*



*to be ordered at the same time as the A/C station